

A man and a woman are smiling and embracing each other in front of a white Dethleffs motorhome. The man is wearing a light blue shirt and the woman is wearing a white sweater and striped pants. The motorhome has a large open door and a ladder. The background is a bright, sunny outdoor setting.

PREVIEW INFORMATION

ALL TECHNICAL INFORMATION STATED IS PRE-PRODUCTION
AND THEREFORE MAY BE SUBJECT TO CHANGE.

Preview Information 2021

Caravans Model Year 2021

Technical Information

Valid from: 1st of June 2020

Dethleffs
A friend of the family



Index

3	Index
4	Layouts
6 – 9	c'joy
10 – 17	c'go and c'go up!
18 – 21	Coco
22 – 27	Aero
28 – 35	Camper®
36 – 43	Nomad
44 – 49	Beduin Scandinavia
50	Winter Comfort Packages
51	Autonomy Packages
51	TV- and Sound Packages
52	General information

Layouts Caravans 2021



Bunk bed layouts

Being a friend of the family we focus on a wide range of bunk bed layouts for children and big families. The maximum number of sleeping berths includes the lounge convert, the three bunk beds' option and some optional extras.

	C'JOY	C'GO			C'GO UP	COCO	AERO	CAMPER®		
	Single-axle	Single-axle			Single-axle	Single-axle	Single-axle	Single-axle		
8 m										
6 m										
5 m										
Conversion length	480 QLK	495 QSK	535 QSK	565 FMK	465 KR	525 KR	500 QSK	500 QSK	530 FSK	540 QMK
Width	2,12 m	2,3 m	2,3 m	2,5 m	2,3 m	2,3 m	2,3 m	2,3 m	2,3 m	2,5 m

Double bed layouts






















































A large bed for two persons: For those who share a double bed at home, will be happy to have the same conditions when travelling.

8 m											
6 m											
5 m											
Conversion length	410 QL	420 QSH	415 QL	430 QS	475 FR	495 FR		Lounge	410 QS	470 ER	470 FR
Width	2,12 m	2,12 m	2,2 m	2,3 m	2,3 m	2,3 m		2,2 m	2,3 m	2,3 m	2,3 m

Single beds layouts

Travel together, spend time together and sleep in separate beds. Our single beds' layouts are perfect for your individual requirements.

8 m											
6 m											
5 m											
Conversion length	460 LE	475 EL					510 ER	520 ER	460 EL	470 ER	510 ER
Width	2,12 m	2,2 m					2,3 m	2,3 m	2,3 m	2,3 m	2,3 m

NOMAD						BEDUIN SCANDINAVIA							
Tandem-axle		Single-axle				Tandem-axle		Single-axle		Tandem-axle			
 max. 6  max. 6	 max. 6  max. 8	 max. 7	 max. 6			 max. 8  max. 7	 max. 5  max. 6	 max. 7  max. 5					
 550 ESK 2,3 m	 560 FMK 2,5 m	 650 FMK 2,5 m	 730 FKR 2,5 m	 740 RFK 2,5 m	 560 FMK 2,5 m	 730 FKR 2,5 m	 740 RFK 2,5 m	 540 QMK 2,5 m	 590 RK 2,5 m	 650 RFK 2,5 m	 740 BFK 2,5 m		
		 max. 4  max. 3  max. 4  max. 4			 max. 4  max. 4			 max. 4					
		 470 FR 2,3 m	 490 BLF 2,3 m	 530 DR 2,3 m	 590 RF 2,5 m	 650 RQT 2,5 m	 760 DR 2,5 m			 690 BQT 2,5 m			
		 max. 3  max. 3  max. 4  max. 4  max. 4			 max. 4			 max. 4  max. 3					
		 460 EL 2,3 m	 490 EST 2,3 m	 510 ER 2,3 m	 510 LE 2,3 m	 560 RET 2,5 m	 760 ER 2,5 m			 650 RE 2,5 m	 670 BET 2,5 m		

c'joy


Less is more fun!

Less weight, lower price, pure caravan joy! The c'joy has everything for living the freedom. Thanks to its compact size and low weight it is suitable for smaller cars and depending on the towing vehicle, it can be driven with a Class B driver's licence. In spite of its compact size, the c'joy has lots of space for two or even more passengers – all at an affordable price. Now the holidays can begin!

Upholstery



+ Portobello



+ Clipper

Wood décor



+ Sambesi Oak

Technical info

Maximum authorised weight*	1.100 – 1.200 kg
Length (incl. draw bar)	614 – 716 cm
Width	212 cm
Height	261 cm
Sleeping berths	3 – 7

*Maximum value depends on layout and weight upgrade

c'joy plus factors

- + The perfect caravan for beginners: great value and there is everything you need in there
- + No fear of narrow passages: One of the narrowest caravans in its class with 2.12 m width
- + Lightweight: It can be towed with a small car with standard driver's licence of Class B (depending on towing vehicle)
- + Protects you from bad weather: roof, front and rear made of robust GFK
- + You don't have to make compromises: you can bring as much as you need because of lots of storage space and high load capacity



Standard specification

Chassis

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- Light-weight zinc-plated corner steadies
- High-quality tires, engineered for a speed of 100 km/h

Conversion

- Riffled sidewalls in aluminium white
- Front, rear and roof made of robust GRP
- Floor thickness: 38 mm, side/ roof: 28 mm
- 2-piece entrance door
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Clear-view skylight with blind and flyscreen

On-board equipment

- Gas bottle locker for 2 x 11 kg bottles
- Floor of the gas bottle locker made of rot resistant and robust aluminium
- 12 V power supply all over the vehicle
- Electrical water supply
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Powerful warm-air heating (see technical specification for more details)
- Awning light

Kitchen

- Spacious fridge with 81 l and 10 l freezer (variances see technical info)
- 3-flame gas hob with manual ignition

Bathroom

- Skylight with flyscreen
- Shower tray
- Trendy washbasin made of stainless steel


Living comfort

- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic cold foam mattress for all fixed single and double beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Seating lounge converts to bed
- Lower bunk bed foldable incl. large locker door (only for 480 QLK)

Interior

- Wood décor Sambesi Oak with upholstery Clipper or Portobello

c'joy Technical Info



c'joy		410 QL	420 QSH	460 LE	480 QLK
Width	cm	212	212	212	212
Length conversion/ total	cm	493 / 614	503 / 617	553 / 674	593 / 716
Total height/ awning size	cm	261 / 900	261 / 910	261 / 960	261 / 1000
Bed front	cm	190x150	195x150	190x 100/90	190x150
Bed lengthwise	cm	-	170x90/80	-	190x120
Bed alternative	cm	-	-	195/200x190 ¹	-
Bed rear	cm	190x130/100	-	195x80 / 200x80	190x60 / 190x70
Sleeping berths		3 ²	3 ²	3 ²	7 ²
Mass in running order (MIRO)	kg	868	916	922	1012
Payload	kg	232	184	278	188
Maximum authorised weight	kg	1100	1100	1200	1200
Max. weight upgrade	kg	1360	1360	1360	1500
Chassis single axle (1), tandem axle (2)		1	1	1	1
Heating		S 3004	S 3004	S 3004	S 3004
Fridge/ thereof freezer compartment	l	81 / 10	142 / 15	81 / 10	81 / 10
Tank volume fresh water/ waste water	l	12 / 0	12 / 0	12 / 0	12 / 0

¹ Only in combination with option "bed converts single beds to double bed"

² The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

Packages

Dynamic Package* (Code 9241)

ca. 17,5 kg

Package components

Stabiliser AKS	✓
Shock absorber	✓
Fresh water tank 44l	✓
Mobile waste water tank in gas locker	✓
Spare wheel carrier in gas locker	✓
Access locker door	✓

Touring Package c'joy (Code 9243)

ca. 34 kg

Package components

Warm water supply with Therme	✓
Midi-Heki with blind and flyscreen	✓
Flyscreen door	✓
Warm air system	✓

* the Dynamic packages enables the 100 km/h speed registration

Options


	Additional weight (kg)	Code	410 QL	420 QSH	460 LE	480 QLK
Chassis/Base						
Corner steadies	1	9138	○	○	○	○
ATC trailer control	4	748	○	○	○	○
Draw bar cover	8	434	○	○	○	○
Weight upgrade to 1200kg	u.r.	134	○	○	⊙	⊙
Weight upgrade to 1360kg (no chassis amendment)	u.r.	9619	–	–	○	○
Weight upgrade to 1360kg (with chassis amendment)	u.r.	9619	○	○	–	–
Weight upgrade to 1500kg	24	136	–	–	–	○
Alloy wheel 185 R14 C LI 102, up to 1600 kg	u.r.	836	○	○	○	○
Spare alloy wheel 195 R14 8PR LI 106, 1700kg and 1800kg	19	839	○	–	–	–
Spare alloy wheel 185 R14 C LI 102, up to 1600kg	17	837	○	○	○	○
Spare steel wheel 185 R14 C 8 PR, up to 1600kg	18	831	○	○	○	○
Spare steel wheel 195 R14 C LI 106, 1700kg and 1800kg	19,5	833	○	–	–	–
Bodywork exterior						
Front window	4	982	○	○	⊙	○
Rear window	4	1108	⊙	⊙	○	⊙
Opening window in bathroom	3	1028	○	○	○	○
Kitchen window, sliding (change of window shape)	2	6406	○	○	○	○
Flyscreen door	2,5	360	○	○	○	○
Spare wheel carrier in gas locker	1	432	○	○	○	○
Access locker door 1000mm x 420mm (underneath bed)	2	6416	○	○	–	○
Access locker door 1000mm x 420mm (rear right)	2	6418	–	–	○	–
Access locker door 1000mm x 420mm (rear left)	2	6417	–	–	○	–
Access locker door 1000mm x 420mm (front left)	2	6415	○	○	–	○
Furniture layouts						
Bed convert single beds to double bed	5	685	–	–	○	–
3 bunk beds, not foldable	20	200	–	–	–	○
Upholstery						
Cover for cold foam mattress for double bed, in colour of upholstery	3	8136	○	○	–	○
Cover for cold foam mattress for single bed, in colour of upholstery	5	8135	–	–	○	–
Water supply/Installation						
Mobile waste water tank in gas locker	2,5	367	○	○	○	○
Fresh water tank 44l	3	9240	○	○	○	○
Warm water supply with Therme	15	123	○	○	○	○
Shower equipment with fitting and curtain	5	1097	○	○	○	○
Heating/Air-conditioning						
Additional heating Ultraheat for S 3004, electric 220 V	2	364	○	○	○	○
Fan 12V for S 3004	u.r.	177	○	○	○	○
Air-conditioning pre-wiring	u.r.	172	○	○	○	○
Electrics/Installation						
Reading lamps	2	9691	○	○	○	○
Multimedia systems						
Flatscreen TV preparation (antenna cable and TV bracket)	2	678	○	○	○	○
Audio connection multi-function exterior output, 12 V, 220 V, TV and SAT	1	611	○	○	○	○
additional Packages (further information on the last pages of this brochure)						
Autonomy Package c'joy / c'go	30	7346	○	○	○	○
Miscellaneous						
Registration documents	0	0	◆	◆	◆	◆

c'go & c'go up!

Caravan to go

The c'go inspires to pack your luggage and to go on tour. It looks modern and fresh, is available in four trendy upholstery designs and offers a wide selection of layouts: from the smallest compact one to the spacious family caravan. That makes it to an ideal journey companion and very popular with young couples and families. No wonder! This caravan comes with an attractive price! When will you start?

Upholstery



+ Blue Lagoon



+ Sunshine



+ Green Paradise



+ Grey Orbit

Wood décor



+ Pearlwhite

Technical info

Maximum authorised weight*	1.200 – 1.600 kg
Length (incl. draw bar)	631 – 803 cm
Width	220 – 250 cm
Height	261 – 271 cm
Sleeping berths	3 – 7

*Maximum value depends on layout and weight upgrade

c'go plus factors

- + Something for everyone: the layouts offer a wide range for small and big families
- + Fresh look: chic, modern interior design and a colourful choice of upholstery for every taste
- + Protects you from bad weather: roof, front and rear made of robust GFK
- + Nothing needs to be left at home: so much storage space and a high payload gives you the possibility to take everything you need with you
- + Lightweight: it can be towed with a Class B driver's licence (depending on the towing vehicle)



Standard specification

Chassis

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- Light-weight zinc-plated corner steadies
- High-quality tires, engineered for a speed of 100 km/h
- AKS stabiliser
- Octagon shock absorber
- AAA self-adjusting brake (only for 465 KR and 525 KR)

Conversion

- Riffled sidewalls in aluminium white
- Front, rear and roof made of robust GRP
- Floor thickness: 39 mm, side/roof: 28 mm
- Entrance door, one-piece
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Clear-view skylight with blind and flyscreen
- Access locker door

On-board equipment

- Gas bottle locker for 2 x 11 kg bottles
- Floor of the gas bottle locker made of rot resistant and robust aluminium
- 12 V power supply all over the vehicle
- Electrical water supply
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Powerful warm-air heating (see technical specification for more details)
- Rollable waste water tank in gas locker
- Smoke detector
- Spare wheel bracket in gas bottle locker
- Awning light
- LED spots in front and rear seating lounges

Kitchen

- Large fridge with 142 l with 15 l freezer (variances see technical data)
- Functional 3-flames hob with electrical ignition

- Spacious drawers with softclose function

Bathroom

- Skylight with flyscreen
- Shower tray
- Trendy washbasin made of stainless steel
- LED lights


Living comfort

- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic cold foam mattress for all fixed single and double beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Seating lounge converts to bed
- Lower bunk bed foldable incl. locker door (only for 495 QSK, 565 FMK and 525 KR)
- Spacious pull-down bed above seating lounge, with manual control (only for 465 KR and 525 KR)

Interior

- Wood décor Pearlwhite with upholstery Grey Orbit, Blue Lagoon, Green Paradise or Sunshine

c'go Technical Info



C'GO		415 QL	430 QS	475 EL	475 FR	495 FR	495 QSK
Width	cm	220	230	220	230	230	230
Length conversion/ total	cm	498 / 631	516 / 644	552 / 683	558 / 680	588 / 725	587 / 714
Total height/ awning size	cm	261 / 902	261 / 920	261 / 955	261 / 962	261 / 992	261 / 990
Bed front	cm	200x135	205x155	2x (200x85)	210x145/110	200x145/110	210x135
Bed lengthwise	cm	-	-	-	-	-	190x90
Pull-down bed	cm	-	-	-	-	-	-
Bed alternative	cm	-	-	200x190 ¹	-	-	-
Bed rear	cm	200x130/100	200x130/100	200x130/100	210x130/150	210x130/150	210x80 / 210x70
Sleeping berths		3 ²	3 ²	3 ²	4 ²	4 ²	6 ²
Mass in running order (MIRO)	kg	1018	1080	1088	1099	1182	1163
Payload	kg	182	220	212	201	178	197
Maximum authorised weight	kg	1200	1300	1300	1300	1360	1360
Max. weight upgrade	kg	1700	1700	1700	1700	1700	1700
Chassis single axle (1), tandem axle (2)		1	1	1	1	1	1
Heating		S 3004	S 3004	S 3004	S 3004	S 3004	S 3004
Fridge/ thereof freezer compartment	l	86 / 9	142 / 15	86 / 9	86 / 9	142 / 15	142 / 15
Tank volume fresh water/ waste water	l	44 (15) / 23 ³	44 (15) / 23 ³	44 (15) / 23 ³	44 (15) / 23 ³	44 (15) / 23 ³	44 (15) / 23 ³

¹ Only in combination with option "bed converts single beds to double bed"

² The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

³ The volume in brackets describes the reduced fresh water tank volume

Packages

Safety Package (Code 9556)

ca. 6,5 kg

Package components

ATC trailer control	✓
Safety gas pressure DuoControl with crash sensor	✓


Touring Package c'go (Code 7345)

ca. 45 kg

Package components

Warm water supply with Therme	✓
Heki II - skylight incl. illuminated roof lining	✓
Flyscreen door	✓
Shower equipment with fitting and curtain	✓
Warm air system	✓
Indirect lighting	✓

c'go Technical Info




C'GO		535 QSK	565 FMK
Width	cm	230	250
Length conversion/ total	cm	635 / 757	672 / 803
Total height/ awning size	cm	261 / 1039	261 / 1076
Bed front	cm	210x135	205x165/130
Bed lengthwise	cm	195x90	200x110
Pull-down bed	cm	-	-
Bed alternative	cm	-	-
Bed rear	cm	2x (190x70)	2x (200x80)
Sleeping berths		6 ¹	6 ¹
Mass in running order (MIRO)	kg	1282	1387
Payload	kg	218	213
Maximum authorised weight	kg	1500	1600
Max. weight upgrade	kg	1800	2000
Chassis single axle (1), tandem axle (2)		1	1
Heating		S 3004	S 5004
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15
Tank volume fresh water/ waste water	l	44 (15) / 23 ²	44 (15) / 23 ²

¹ The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

² The volume in brackets describes the reduced fresh water tank volume

c'go up! Technical Info



C'GO		465 KR	525 KR
Width	cm	230	230
Length conversion/ total	cm	551 / 682	623 / 756
Total height/ awning size	cm	271 / 968	271 / 1040
Bed front	cm	2x (210x95)	205x76 / 200x74
Bed lengthwise	cm	-	177x87/79
Pull-down bed	cm	200x145	200x145
Bed alternative	cm	-	-
Bed rear	cm	210x170/160	212x170/160
Sleeping berths		6 ¹	7 ¹
Mass in running order (MIRO)	kg	1237	1328
Payload	kg	263	272
Maximum authorised weight	kg	1500	1600
Max. weight upgrade	kg	1700	1800
Chassis single axle (1), tandem axle (2)		1	1
Heating		S 3004	S 3004
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15
Tank volume fresh water/ waste water	l	44 (15) / 23 ²	44 (15) / 23 ²

¹ The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

² The volume in brackets describes the reduced fresh water tank volume



Options																
	Additional weight (kg)	Code	415 QL	430 QS	475 EL	475 FR	495 FR	495 QSK	535 QSK	565 FMK	465 KR	525 KR				
Chassis/Base																
Corner steadies	1	9138	○	○	○	○	○	○	○	○	○	○				
ATC trailer control	4	748	○	○	○	○	○	○	○	○	○	○				
Draw bar cover	8	434	○	○	○	○	○	○	○	○	○	○				
Weight upgrade to 1300kg	u.r.	135	○	●	●	●	-	-	-	-	-	-				
Weight upgrade to 1360kg (no chassis amendment)	u.r.	9619	○	○	○	○	●	●	-	-	-	-				
Weight upgrade to 1400kg	24	359	○	○	○	○	○	○	-	-	-	-				
Weight upgrade to 1500kg	24	136	○	○	○	○	○	○	●	-	●	-				
Weight upgrade to 1700kg	24	278	○	○	○	○	○	○	○	○	○	-				
Weight upgrade to 1800kg	24	279	-	-	-	-	-	-	○	○	-	○				
Weight upgrade to 1900kg (incl. alloy wheel 225/70R15C)	27	394	-	-	-	-	-	-	-	○	-	-				
Weight upgrade to 2000kg (single axle incl. alloy wheel 225/70R15C)	27	138	-	-	-	-	-	-	-	○	-	-				
Alloy wheel 185 R14 C LI 102, up to 1600 kg	u.r.	836	○	○	○	○	○	○	○	○	○	○				
Alloy wheel set 195 R14 C LI 106, 1700kg and 1800kg	2	838	○	○	○	○	○	○	○	○	○	○				
Alloy wheels 225/70 R15C LI 112, 1900kg and 2000kg	9	1093	-	-	-	-	-	-	-	○	-	-				
Single-axle premium wheel set 195 R14 C LI 106 (with steel wheel 1700kg and 1800kg)	3	832	○	○	○	○	○	○	○	○	○	○				
Spare alloy wheel 195 R14 8PR LI 106, 1700kg and 1800kg	19	839	-	-	○	○	○	○	○	○	○	○				
Spare alloy wheel 185 R14 C LI 102, up to 1600kg	17	837	○	○	○	○	○	○	○	○	○	○				
Spare steel wheel 185 R14 C 8 PR, up to 1600kg	18	831	○	○	○	○	○	○	○	○	○	○				
Spare steel wheel 195 R14 C LI 106, 1700kg and 1800kg	19,5	833	-	-	○	○	○	○	○	○	○	○				
Solid rubber support wheel with support load indicator	2	10063	○	○	○	○	○	○	○	○	○	○				
Bodywork exterior																
Front window	4	982	○	○	○	○	○	○	○	○	-	-				
Opening window in bathroom	3	1028	○	○	○	○	○	○	●	○	○	○				
Kitchen window, sliding (change of window shape)	2	6406	○	○	○	○	○	○	○	○	○	○				
Flyscreen door	2,5	360	○	○	○	○	○	○	○	○	○	○				
Habitation door with window	u.r.	6427	-	-	-	-	-	-	-	-	○	○				
Heki II - skylight incl. illuminated roof lining	13	274	○	○	○	○	○	○	○	○	○	○				
Smooth sides white	1 kg/m ²	443	○	○	○	○	-	-	-	-	○	-				
Smooth sides white	1 kg/m ²	443	-	-	-	-	○	○	○	○	-	○				
Access locker door 1675mm x 885mm (front right)	u.r.	9430	-	-	-	-	-	-	-	-	-	○				
Access locker door 560mm x 1150mm (front right)	u.r.	10393	-	-	-	-	-	-	-	-	○	-				
Access locker door 749mm x 297mm (rear left)	2	1077	-	-	-	-	-	-	-	-	○	○				
Access locker door 749mm x 297mm (rear right)	2	1078	-	-	-	-	-	-	-	-	○	○				
Furniture layouts																
Bed convert single beds to double bed	5	685	-	-	○	-	-	-	-	-	-	-				
3 bunk beds, not foldable	20	200	-	-	-	-	-	○	○	○	-	-				
Seat enlargement for lounge (in comb. with option 8699)	1	7750	-	-	-	-	-	○	○	-	-	-				
Upholstery																
Cover for cold foam mattress for double bed, in colour of upholstery	3	8136	○	○	-	○	○	○	○	○	○	○				
Cover for cold foam mattress for single bed, in colour of upholstery	5	8135	-	-	○	-	-	-	-	-	-	-				
7-zones mattress made of heat-regulating material	u.r.	10318	○	○	○	○	○	○	○	○	○	○				
Carpets loose	8-10	513	○	○	○	○	○	○	○	○	○	○				
Gas installation																
Safety gas pressure DuoControl with crash sensor	2,5	784	○	○	○	○	○	○	○	○	○	○				
Gas socket (exterior) (only in con. with option 611)</																

	Additional weight (kg)	Code	415 QL	430 QS	475 EL	475 FR	495 FR	495 QSK	535 QSK	565 FMK	465 KR	525 KR
Heating/Air-conditioning												
Fan 12V with automatic speed control S 5004	2	178	–	–	–	–	–	–	–	○	–	–
Additional heating Ultraheat for 5004, electric 220 V	2	422	–	–	–	–	–	–	–	○	–	–
Electrics/Installation												
USB port for light bar	u.r.	9989	○	○	○	○	○	○	○	○	–	○
Multimedia systems												
Flatscreen TV preparation (antenna cable and TV bracket)	2	678	○	○	○	○	○	○	○	○	○	○
Audio connection multi-function exterior output, 12 V, 220 V, TV and SAT	1	611	○	○	○	○	○	○	○	○	○	○
additional Packages (further information on the last pages of this brochure)												
Autonomy Package c'joy / c'go	30	7346	○	○	○	○	○	○	○	○	○	○
Miscellaneous												
Registration documents	0	0	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Coco

Inspires with Lightness

Lightness at the highest level: at only 777 kg, nothing compares to the light-hearted joy of travelling with the Dethleffs Coco. For this reason, our lightweight experts have combined the most effective solutions in our competence centre and created a revolutionary construction approach. It is based on the optimal interaction of single components, such as the chassis, the floor, and the sidewall. The Coco: travelling with lightness and joy!

Upholstery



+ Waterfall

Wood décor



+ Light Grey

Technical info

Maximum authorised weight*	900 kg
Length (incl. draw bar)	586 cm
Width	220 cm
Height	257 cm
Sleeping berths	2

*Maximum value depends on layout and weight upgrade

Coco plus factors

- + Lightweight: you can easily pull it when you have the Class B driver's licence (depending on the towing vehicle)
- + Narrow and agile: travel with only 2,20 m width
- + Compact travelling companion: sensationally short with a conversion length of 4,56 m
- + Multi-function: simple conversion of the lounge and the seating area
- + Space for snacks & Co: large 142 l fridge incl. 15 l freezer
- + Come in: extra wide habitation door with 70 cm width



Standard specification

Chassis

- Zinc-plated chassis with inertia braking system with reversing automatic
- Light-weight zinc-plated corner steadies
- High-quality tires, engineered for a speed of 100 km/h
- Octagon shock absorber
- System lightweight chassis

Conversion

- Front, rear and sidewalls in white smooth sides with special stickers
- Floor thickness: 41mm, side/roof: 25mm
- Extra-wide entrance door, one-piece
- Integrated rail for the COCO Lounge sun rail around the vehicle (available at Dethleffs Original Accessory)
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Two illuminated clear glass skylights with blinds and flyscreen
- Fully-insulated wheel houses

On-board equipment

- Gas bottle locker for 2 x 5 kg bottles
- 12 V power supply all over the vehicle
- Electrical water supply
- Fresh water tank integrated in kitchen unit
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Comfortable vario heating with air ventilation
- Awning light
- Rotating gooseneck lamps in bathroom, kitchen and the lounge

Kitchen

- Large fridge with 142 l and 15 l freezer
- Functional 2-flames gas hob with manual ignition
- Handy spice rack in kitchen area

Bathroom

- Space-saving fold-away washbasin for easy storage in the locker

Living comfort

- Moveable hooking table
- Large storage box underneath the seating lounge, extendable for bed convert
- Cosy lounge with fabric-covered corner element and small pockets
- Spacious wardrobe with cloth rail and linen shelf
- High-quality upholstery in the lounge

Interior

- Wood décor Light Grey with upholstery Waterfall

Coco

Technical Info



COCO		Lounge
Width	cm	220
Length conversion/ total	cm	456 / 586
Total height/ awning size	cm	257 / 0
Bed front	cm	-
Bed lengthwise	cm	-
Bed alternative	cm	-
Bed rear	cm	155x200
Sleeping berths		2
Mass in running order (MIRO)	kg	777
Payload	kg	123
Maximum authorised weight	kg	900
Max. weight upgrade	kg	1100
Chassis single axle (1), tandem axle (2)		1
Heating		Vario Heat
Fridge/ thereof freezer compartment	l	142 / 15
Tank volume fresh water/ waste water	l	20 / 0

Packages

Coco Chassis
Package (Code
10914)

ca. 8 kg

Package components	
Weight upgrade 1100 kg (incl. AKS)	✓
High-quality tires and alloy wheels	✓
Draw bar cover	✓
Fly screen door	✓
Multi-function output socket 12V, 220V, TV and SAT with central cable laying	✓

Coco Glamping
Package (Code
10915)

ca. 65 kg

Package components	
Impressive, opening front window with blackout blinds	✓
Two large, opening skylights with blinds and fly screen	✓
Attractive windows and skylights frames	✓
Indirect, dimmable ambient lighting	✓
Additional flexible gooseneck-lamp in the lounge	✓
Retractable fitting in the bathroom	✓
Opening window in the bathroom	✓
Large 44l fresh water tank	✓
Mobile 23l waste water tank	✓
Warm water tank with 5l	✓

✓ included ● Standard specification – not included

Aero

Smile, the AERO is back

The traditional classic returns in the light, modern AERO-look. The curved integral rear light seems almost like a smile. Inside, the clear, bright design creates an equally good atmosphere. And also the extensive Anniversary Package with highlights like 17" alloy wheels in Dethleffs design and an extra wide entrance door with window and flyscreen door is guaranteed to put you in a good mood. Refined and popular floor plan solutions make the start into caravanning very easy.

Upholstery



+ Fyn




+ Skagen



+ Visby

Wood décor



+ Maryland Oak

Technical info

Maximum authorised weight*	1.200 – 1.400 kg
Length (incl. draw bar)	634 – 751 cm
Width	230 cm
Height	261 cm
Sleeping berths	3 – 6

*Maximum value depends on layout and weight upgrade

Aero plus factors

- + A reason to celebrate: many options at an attractive price thanks to the 90-Years Anniversary equipment
- + A real eye-catcher: the new, modern exterior design attracts all eyes and also the interior design has a convincing concept
- + I know you: the well-known, sophisticated floor plan solutions meet everyone's requirements
- + Winter is coming: be prepared for colder temperatures with the optional Winter Comfort Package
- + Protects you from bad weather: roof, front and rear made of robust GFK



Standard specification

Chassis

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- Light-weight zinc-plated corner steadies
- High-quality tires, engineered for a speed of 100 km/h
- AKS stabiliser
- Octagon shock absorber

Conversion

- Riffled sidewalls in aluminium white
- Front, rear and roof made of robust GRP
- Floor thickness: 39 mm, side/roof: 28 mm
- Extra-wide entrance door, one-piece
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Clear-view skylight with blind and flyscreen
- Access locker door

On-board equipment

- Gas bottle locker for 2 x 11 kg bottles
- Space-saving gas locker door which opens upwards
- Floor of the gas bottle locker made of rot resistant and robust aluminium
- 12 V power supply all over the vehicle
- Electrical water supply
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Powerful warm-air heating (see technical specification for more details)
- Rollable waste water tank in gas locker
- Smoke detector
- Spare wheel bracket in gas bottle locker
- Awning light
- Variable USB power socket for light bar system
- LED spots in front and rear seating lounges

Kitchen

- Large fridge with 142 l with 15 l freezer (variances see technical data)
- Functional 3-flames hob with electrical ignition
- Spacious drawers with softclose function

Bathroom

- Skylight with flyscreen
- Shower tray
- LED lights
- Integrated design washbasin made of solid surface material


Living comfort

- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic 7-zone cold foam mattress for all fixed beds and bunk beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Seating lounge converts to bed
- One-legged telescopic table, height adjustable (not for 410 QS and 500 QSK)

Interior

- Wood décor Maryland Oak with upholsteries Fyn, Skagen or Visby

Aero Technical Info



AERO		410 QS	470 FR	500 QSK	510 ER	520 ER
Width	cm	230	230	230	230	230
Length conversion/ total	cm	513 / 634	575 / 695	605 / 736	615 / 731	635 / 751
Total height/ awning size	cm	261 / 918	261 / 980	261 / 1010	261 / 1020	261 / 1040
Bed front	cm	210x135	200x145/100	210x145	190x85 / 200x85	200x85 / 195x85
Bed lengthwise	cm	190x135	-	190x90	-	-
Bed alternative	cm	-	-	-	200x195	200x195
Bed rear	cm	-	210x125	210x80 / 210x80	210x145/90	210x145/125
Sleeping berths		3 ¹	4 ¹	6 ¹	4 ¹	4 ¹
Mass in running order (MIRO)	kg	0	0	1346	1347	0
Payload	kg	1200	1300	54	53	1400
Maximum authorised weight	kg	1200	1300	1400	1400	1400
Max. weight upgrade	kg	1700	1700	1800	1800	1800
Chassis single axle (1), tandem axle (2)		1	1	1	1	1
Heating		S 3004	S 3004	S 3004	S 3004	S 3004
Fridge/ thereof freezer compartment	l	86 / 9	142 / 15	142 / 15	142 / 15	142 / 15
Tank volume fresh water/ waste water	l	44 (15) / 23 ²	44 (15) / 23 ²	44 (15) / 23 ²	44 (15) / 23 ²	44 (15) / 23 ²

¹ The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

² The volume in brackets describes the reduced fresh water tank volume

Packages

Safety Package (Code 9556)

ca. 6,5 kg

Package components

ATC trailer control	✓
Safety gas pressure DuoControl with crash sensor	✓

Shower Package (Code 6105)


ca. 7 kg

Package components

Shower equipment with fitting and curtain	✓
City water connection	✓

Aero

90 Years Package



Anniversary equipment "90 Years Package"	54 kg	410 QS	470 FR	500 QSK	510 ER	520 ER
17" alloy wheels in Dethleffs design		⊙	⊙	⊙	⊙	⊙
Smooth sides white		⊙	⊙	⊙	⊙	⊙
Design elements for front and rear		⊙	⊙	⊙	⊙	⊙
Draw bar cover		⊙	⊙	⊙	⊙	⊙
Extra wide door with window and fly screen		⊙	⊙	⊙	⊙	⊙
Skylight incl. lighting, 700 x 500 mm		⊙	⊙	⊙	⊙	⊙
Warm water supply with Therme		⊙	⊙	⊙	⊙	⊙
Easy to clean and silky acrylic glass kitchen rear panel		⊙	⊙	⊙	⊙	⊙
Elegant and functional textile elements for storage and fastening		⊙	⊙	⊙	⊙	⊙

Options

	Additional weight (kg)	Code	410 QS	470 FR	500 QSK	510 ER	520 ER
Chassis/Base							
Corner steadies	1	9138	○	○	○	○	○
ATC trailer control	4	748	○	○	○	○	○
Draw bar cover	8	434	○	○	○	○	○
Weight upgrade to 1500kg	24	136	–	–	○	○	–
Weight upgrade to 1700kg	24	278	–	–	○	○	–
Weight upgrade to 1800kg	24	279	–	–	○	○	–
Alloy wheel 185 R14 C LI 102, up to 1600 kg	u.r.	836	–	–	○	○	–
Alloy wheel set 195 R14 C LI 106, 1700kg and 1800kg	2	838	–	–	○	○	–
Single-axle premium wheel set 195 R14 C LI 106 (with steel wheel 1700kg and 1800kg)	3	832	–	–	○	○	–
Spare alloy wheel 195 R14 8PR LI 106, 1700kg and 1800kg	19	839	–	–	○	○	–
Spare alloy wheel 185 R14 C LI 102, up to 1600kg	17	837	–	–	○	○	–
Spare steel wheel 185 R14 C 8 PR, up to 1600kg	18	831	–	–	○	○	–
Spare steel wheel 195 R14 C LI 106, 1700kg and 1800kg	19,5	833	–	–	○	○	–
Solid rubber support wheel with support load indicator	2	10063	○	○	○	○	○
Bodywork exterior							
Front window	4	982	○	○	○	○	○
Kitchen window, sliding (change of window shape)	2	6406	○	○	○	○	○
Smooth sides white	1 kg/m ²	443	○	○	○	○	○
Styrofoam insulation (front, rear, sides)	0,5 kg/m ²	179	○	○	○	○	○
One-piece habitation door with window	3	862	○	○	○	○	○
Access locker door 1000mm x 420mm (front left)	2	6415	–	–	–	○	–
Access locker door rear right 750x300 mm	2	6422	–	○	–	–	–
Bodywork interior							
Fly screen door	3	457	○	○	○	○	○
Furniture layouts							
Bed convert single beds to double bed	5	685	–	–	–	○	–
3 bunk beds, not foldable	20	200	–	–	○	–	–
Seat enlargement for lounge (in comb. with option 8699)	1	7750	–	–	○	–	–
Upholstery							
Carpets loose	8-10	513	○	○	○	○	○
Gas installation							
DuoControl gas controller with crash sensor and EisEx	2,5	784	○	○	○	○	○
Gas socket (exterior)	1	187	○	○	○	○	○
Water supply/Installation							
Warm water supply with Therme	15	123	○	○	○	○	○
Shower equipment with fitting and curtain	5	1097	○	○	○	○	○
City water connection	2	414	○	○	○	○	○
Heating/Air-conditioning							
Additional heating Ultraheat for S 3004, electric 220 V	2	364	○	○	○	○	○
Fan 12V for S 3004	u.r.	177	○	○	○	○	○
Air-conditioning pre-wiring	u.r.	172	○	○	○	○	○
Electrical floor heating	9	387	○	○	○	○	○
Roof A/C	35	8145	○	○	○	○	○
Heating operation by I-Net-Box	3	9960	○	○	○	○	○
Warm air heating Combi 6 G/E	15	9427	○	○	○	○	○
Electrics/Installation							
USB port for light bar	u.r.	9989	○	○	○	○	○
Indirect lighting	2	633	○	○	○	○	○
Multimedia systems							
Flatscreen TV preparation (antenna cable and TV bracket)	2	678	○	○	○	○	○
Audio connection multi-function exterior output, 12 V, 220 V, TV and SAT	1	611	○	○	○	○	○
additional Packages (further information on the last pages of this brochure)							
Autonomy Package Areo (for S-heating)	u.r.	10011	○	○	○	○	○
Autonomy Package Aero (for C-heating)	u.r.	10012	○	○	○	○	○

	Additional weight (kg)	Code	410 QS	470 FR	500 QSK	510 ER	520 ER
additional Packages (further information on the last pages of this brochure)							
Winter Comfort Package Aero	u.r.	11547	○	○	○	○	○
Miscellaneous							
Registration documents	0	0	◆	◆	◆	◆	◆

Camper®

The family caravan

With its extensive standard equipment, abundant storage room and a wide range of bunk bed layouts, the Camper® is the ideal caravan for all those of you who love adventure.

Technical info

Maximum authorised weight*	1.500 - 2.200 kg
Length (incl. draw bar)	691 - 942 cm
Width	230 - 250 cm
Height	265 cm
Tandem axle	from 650 FMK
Sleeping berths	3 - 8

*Maximum value depends on layout and weight upgrade

Upholstery



+ Cloud



+ Galaxy



+ Mount

Wood décor



+ Rosario Cherry

Camper® plus factors

- + Enough space for every child: a selection of family layouts with bunk beds
- + Better safe than sorry: exemplary Dethleffs safety equipment
- + Ready to go thanks to comprehensive standard specifications
- + Modern interior: three classic upholstery versions
- + Steeled for all needs: even short caravans less than 7 m available



Standard specification

Chassis

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- High-quality tires, engineered for a speed of 100 km/h
- AKS stabiliser
- Octagon shock absorber
- AAA self-adjusting brake
- Light-weight zinc-plated corner steadies
- Sidewall skirts with integrated side-marker lamps

Conversion

- Riffled sidewalls in aluminium white, front/rear in smooth metal plate
- Robust GRP roof
- Floor thickness: 42mm, sides/roof: 34mm
- Entrance door one-piece with flyscreen door
- Front parts in gas locker area made of LFI (Long Fiber Injection), shock resistant, robust and repair-friendly
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Clear glass Mini-Heki with blackout blind and mosquito blind
- Midi-Heki clear skylight with blind and flyscreen; integrated light spots
- Fully-insulated wheel houses
- Access locker door

On-board equipment

- Gas bottle locker for 2 x 11 kg bottles
- Space-saving gas locker door which opens upwards
- Floor of the gas bottle locker made of rot resistant and robust aluminium
- 12 V power supply all over the vehicle
- Electrical water supply
- Warm water supply Therme
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Powerful warm-air heating (see technical specification for more details)

- Rollable waste water tank in gas locker
- Spare wheel bracket in gas bottle locker
- Awning light
- LED light bar system 12V (head side bed and seating lounge)
- Variable USB power socket for light bar system

Kitchen

- Large fridge with 142 l with 15 l freezer (variances see technical data)
- Functional 3-flames hob with electrical ignition
- Spacious drawers with softclose function
- Practical apothecary-style drawer (depending on layout)

Bathroom

- Skylight with flyscreen
- Shower tray
- LED lights
- Integrated design washbasin made of solid surface material


Living comfort

- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic 7-zone cold foam mattress for all fixed beds and bunk beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Seating lounge converts to bed
- Lower bunk bed foldable incl. large locker door (only for 500 QSK, 530 FSK, 550 ESK and 560 FMK)
- One-legged telescopic table, height adjustable

Interior

- Wood décor Rosario Cherry with upholstery Cloud, Galaxy or Mount

Camper® Technical Info



CAMPER®		460 EL	470 ER	470 FR	500 QSK	510 ER	530 FSK
Width	cm	230	230	230	230	230	230
Length conversion/ total	cm	550 / 691	570 / 713	570 / 713	590 / 729	620 / 766	650 / 788
Total height/ awning size	cm	265 / 945	265 / 965	265 / 965	265 / 985	265 / 1015	265 / 1045
Bed front	cm	200x85 / 190x85	2x (200x85)	205x135	210x135	200x85 / 190x85	200x135
Bed lengthwise	cm	-	-	-	190x100	-	190x100
Bed alternative	cm	190x210 ¹	200x210 ¹	-	-	190x210 ¹	-
Bed rear	cm	210x115	210x125	210x135	2x (210x75)	210x135	2x (210x75)
Sleeping berths		3 ²	3 ²	4 ²	6 ²	4 ²	6 ²
Mass in running order (MIRO)	kg	1265	1245	1270	1315	1360	1410
Payload	kg	235	255	230	185	140	190
Maximum authorised weight	kg	1500	1500	1500	1500	1500	1600
Max. weight upgrade	kg	1700	1800	1800	1800	1800	2000
Chassis single axle (1), tandem axle (2)		1	1	1	1	1	1
Heating		S 3004	S 3004	S 3004	S 3004	S 3004	S 5004
Fridge/ thereof freezer compartment	l	142 / 15	96 / 11	142 / 15	142 / 15	142 / 15	142 / 15
Tank volume fresh water/ waste water	l	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³

¹ Only in combination with option "bed converts single beds to double bed"

² The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

³ The volume in brackets describes the reduced fresh water tank volume

Packages

90 Years Package Single Axle (Code 11584)

Package components


17" alloy wheels	✓
Front moulding with high attachment and roof rails	✓
Corner steadies	✓
Solid rubber support wheel with support load indicator	✓

90 Years Package Tandem Axle (Code 11584)

Package components

17" alloy wheels	✓
Front moulding with high attachment and roof rails	✓
Corner steadies	✓
Solid rubber support wheel with support load indicator	✓

Camper® Technical Info



CAMPER®		540 QMK	550 ESK	560 FMK	650 FMK	730 FKR	740 RFK
Width	cm	250	230	250	250	250	250
Length conversion/ total	cm	650 / 768	675 / 806	675 / 818	735 / 872	805 / 942	805 / 942
Total height/ awning size	cm	265 / 1045	265 / 1075	265 / 1075	265 / 1135	265 / 1205	265 / 1205
Bed front	cm	200x140	2x (200x85)	200x155	200x155	200x155	230x140
Bed lengthwise	cm	230x115	190x100	230x115	225x115	2x (195x75)	200x145
Bed alternative	cm	-	200x210 ¹	-	-	205x75	-
Bed rear	cm	2x (190x75)	2x (210x75)	2x (195x75)	2x (200x75)	230x155	2x (190x75)
Sleeping berths		6 ²	6 ²	6 ²	6 ²	8 ²	7 ²
Mass in running order (MIRO)	kg	1475	1435	1525	1755	1815	1860
Payload	kg	225	165	175	245	185	340
Maximum authorised weight	kg	1700	1600	1700	2000	2000	2200
Max. weight upgrade	kg	2000	2000	2000	2500	2800	2800
Chassis single axle (1), tandem axle (2)		1	1	1	2	2	2
Heating		S 5004	S 5004	S 5004	S 5004	S 5004	S 5004
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	96 / 11	175 / 31
Tank volume fresh water/ waste water	l	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³

¹ Only in combination with option "bed converts single beds to double bed"

² The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

³ The volume in brackets describes the reduced fresh water tank volume

Packages

Caravan Safety Package (Code 8950)

ca. 7 kg

Package components

ATC trailer control	✓
DuoControl gas controller with crash sensor and EisEx	✓
Smoke detector	✓

Shower Package (Code 6105)

ca. 7 kg

Package components

Shower equipment with fitting and curtain	✓
City water connection	✓



Options

	Additional weight (kg)	Code	460 EL	470 ER	470 FR	500 QSK	510 ER	530 FSK	540 QMK	550 ESK	560 FMK	650 FMK	730 FKR	740 RFK
Chassis/Base														
ATC trailer control	4	748	○	○	○	○	○	○	○	○	○	○	○	○
Draw bar cover	8	434	○	○	○	○	○	○	○	○	○	○	○	○
Corner steadies	1	6348	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 1600kg	24	322	○	○	○	○	○	●	○	○	○	○	○	○
Weight upgrade to 1700kg	24	278	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 1800kg	24	279	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 1900kg (incl. alloy wheel 225/70R15C)	27	394	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 2000kg (single axle incl. alloy wheel 225/70R15C)	27	138	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 2200kg	18	6351	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 2500kg	18	496	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 2800kg	18	7713	○	○	○	○	○	○	○	○	○	○	○	○
Alloy wheel 185 R14 C LI 102, up to 1600 kg	u.r.	836	○	○	○	○	○	○	○	○	○	○	○	○
Alloy wheel set 195 R14 C LI 106, 1700kg and 1800kg	2	838	○	○	○	○	○	○	○	○	○	○	○	○
Alloy wheels 225/70 R15C LI 112, 1900kg and 2000kg	9	1093	○	○	○	○	○	○	○	○	○	○	○	○
Alloy wheel 185/70 R14 LI 88, up to 2000kg	u.r.	840	○	○	○	○	○	○	○	○	○	○	○	○
Alloy wheel 195/70R14 C LI 104, 2200kg to 2800kg	4	859	○	○	○	○	○	○	○	○	○	○	○	○
Single-axle premium wheel set 195 R14 C LI 106 (with steel wheel 1700kg and 1800kg)	3	832	○	○	○	○	○	○	○	○	○	○	○	○
Spare alloy wheel 225/70/R15C LI 112, 1900kg and 2000kg	23,5	1092	○	○	○	○	○	○	○	○	○	○	○	○
Spare alloy wheel 195 R14 8PR LI 106, 1700kg and 1800kg	19	839	○	○	○	○	○	○	○	○	○	○	○	○
Spare alloy wheel 185 R14 C LI 102, up to 1600kg	17	837	○	○	○	○	○	○	○	○	○	○	○	○
Spare alloy wheel set 185/70/R14 LI 88, up to 2000kg	18	841	○	○	○	○	○	○	○	○	○	○	○	○
Spare alloy wheel set 195/70R14 C LI 104, 2200kg to 2800kg	19	861	○	○	○	○	○	○	○	○	○	○	○	○
Spare steel wheel 185 R14 C 8 PR, up to 1600kg	18	831	○	○	○	○	○	○	○	○	○	○	○	○
Spare steel wheel 195 R14 C LI 106, 1700kg and 1800kg	19,5	833	○	○	○	○	○	○	○	○	○	○	○	○
Spare steel wheel set 185/70/R14 LI 88, up to 2000kg	18	835	○	○	○	○	○	○	○	○	○	○	○	○
Spare steel wheel set 195/70R14 C LI 104, 2200kg to 2800kg	20	860	○	○	○	○	○	○	○	○	○	○	○	○
Tandem-axle premium wheel 195/70R14 C-LI104 (with steel wheel 2200 kg to 2800 kg)	6	858	○	○	○	○	○	○	○	○	○	○	○	○
Break-down kit	1	620	○	○	○	○	○	○	○	○	○	○	○	○
Solid rubber support wheel with support load indicator	2	10063	○	○	○	○	○	○	○	○	○	○	○	○
Bodywork exterior														
Front window	4	982	○	○	○	○	○	○	○	○	○	○	○	○
Front window (bed area), if washroom in front	5	855	○	○	○	○	○	○	○	○	○	○	○	○
Flush fitting windows (not possible for front and rear windows)	3	7561	○	○	○	○	○	○	○	○	○	○	○	○
Heki II - skylight incl. illuminated roof lining (instead of standard Midi Heki in Camper and Nomad)	8	274	○	○	○	○	○	○	○	○	○	○	○	○
Skyroof with two skylights (not in comb. with A/C)	28	7466	○	○	○	○	○	○	○	○	○	○	○	○
Smooth sides white	1 kg/m ²	443	○	○	○	○	○	○	○	○	○	○	○	○
Smooth sides white	1 kg/m ²	443	○	○	○	○	○	○	○	○	○	○	○	○
Smooth sides titansilver metallic	1 kg/m ²	659	○	○	○	○	○	○	○	○	○	○	○	○
Smooth sides titansilver metallic	1 kg/m ²	659	○	○	○	○	○	○	○	○	○	○	○	○
Front moulding with high attachment and roof rails	12	624	○	○	○	○	○	○	○	○	○	○	○	○
Styrofoam insulation (front, rear, sides)	0,5 kg/m ²	179	○	○	○	○	○	○	○	○	○	○	○	○
Styrofoam insulation (front, rear, sides)	0,5 kg/m ²	179	○	○	○	○	○	○	○	○	○	○	○	○
One-piece habitation door with window	3	862	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 648mm x 348mm (front left)	2	1071	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 1069mm x 299mm (rear right)	2	1086	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 1550mm x 1050mm with window	8	9486	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 997mm x 419mm (front left)	2,2	1079	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 749mm x 297mm (rear left)	2	1077	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 1069mm x 299mm (rear left)	2	1085	○	○	○	○	○	○	○	○	○	○	○	○
Access locker door 749mm x 297mm (rear right)	2	1078	○	○	○	○	○	○	○	○	○	○	○	○
Bodywork interior														
Smoke detector	0,5	8949	○	○	○	○	○	○	○	○	○	○	○	○
Fire extinguisher 2 kg	3,5	843	○	○	○	○	○	○	○	○	○	○	○	○


[illegible]

Nomad

Experience pays off

With its comprehensive equipment and stylish detail solutions the Nomad is the perfect caravan for demanding travelers. One highlight is the sophisticated lighting concept „Light Moments“, which is stylishly designed for best feel-good mood - regardless of the weather!

Upholstery



+ Ruby




+ Chromo



+ Champion

Wood décor



+ Noce Nagano

Technical info

Maximum authorised weight*	1.500 - 2.200 kg
Length (incl. draw bar)	691 - 942 cm
Width	230 - 250 cm
Height	265 cm
Tandem axle	from 650 ER
Sleeping berths	3 - 8

*Maximum value depends on layout and weight upgrade

Nomad plus factors

- + Something for everyone: a wide range of touring caravans with double and single-bed layouts
- + Sophisticated exterior design - with chic details such as chrome trim on the side walls, design rear light moulding with integrated lights and chrome manoeuvring handles
- + Well-being atmosphere: exquisite, elegant living room design with atmospheric light concept
- + Cooking like at home: very well equipped gourmet kitchen with illuminated kitchen rear panel
- + Ready to go thanks to comprehensive standard specifications



Standard specification

Chassis

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- High-quality tires, engineered for a speed of 100 km/h
- AKS stabiliser
- Octagon shock absorber
- AAA self-adjusting brake
- Light-weight zinc-plated corner steadies
- Sidewall skirts with integrated side-marker lamps

Conversion

- Riffled sidewalls in aluminium white, front/rear in smooth metal plate
- Robust GRP roof
- Floor thickness: 42mm, sides/roof: 34mm
- Entrance door one-piece with window and flyscreen door
- Front parts in gas locker area made of LFI (Long Fiber Injection), shock resistant, robust and repair-friendly
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Clear glass Mini-Heki with blackout blind and mosquito blind
- Midi-Heki clear skylight with blind and flyscreen; integrated light spots
- Panoramic window (only for 490 BLF)
- Manoeuvring handles and trims in chrome
- Well-designed front and integral lamps in rear moulding with mid-level attachment
- Fully-insulated wheel houses
- Access locker door

On-board equipment

- Gas bottle locker for 2 x 11 kg bottles
- Space-saving gas locker door which opens upwards
- Floor of the gas bottle locker made of rot resistant and robust aluminium
- 12 V power supply all over the vehicle
- Electrical water supply
- Warm water supply Therme
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W

- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Powerful warm-air gas heating with integrated 10l boiler (only for 490 BLF and 490 EST)
- Powerful warm-air heating (see technical specification for more details)
- Rollable waste water tank in gas locker
- Spare wheel bracket in gas bottle locker
- Awning light
- LED light bar system 12V (head side bed and seating lounge)
- Variable USB power socket for light bar system
- Indirect lighting

Kitchen

- Large fridge with 142 l with 15 l freezer (variances see technical data)
- Functional 3-flames hob with electrical ignition
- Spacious drawers with softclose function
- Practical apothecary-style drawer (depending on layout)
- Illuminated kitchen rear panel
- Indirect illuminated kitchen worktop

Bathroom

- Skylight with flyscreen
- Shower tray
- LED lights
- Integrated design washbasin made of solid surface material

Living comfort


- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic 7-zone cold foam mattress for all fixed beds and bunk beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Seating lounge converts to bed

- One-legged telescopic table, height adjustable

Interior

- Wood décor Noce Nagano with upholstery Chromo, Champion or Ruby

Nomad Technical Info



NOMAD		460 EL	470 FR	490 BLF	490 EST	510 ER	510 LE
Width	cm	230	230	230	230	230	230
Length conversion/ total	cm	550 / 691	570 / 713	590 / 729	590 / 729	620 / 766	630 / 762
Total height/ awning size	cm	265 / 945	265 / 965	265 / 988	265 / 988	265 / 1015	265 / 1028
Bed front	cm	200x85 / 190x85	205x135	-	200x85 / 190x85	200x85 / 190x85	210x135
Bed lengthwise	cm	-	-	185x105	-	-	-
Bed alternative	cm	190x210 ¹	-	-	190x210	190x210 ¹	-
Bed rear	cm	210x115	210x135	210x135	185x90	210x135	2x 195x85
Sleeping berths		3 ²	4 ²	3 ²	3 ²	4 ²	4 ²
Mass in running order (MIRO)	kg	1275	1280	1360	1325	1375	1380
Payload	kg	225	220	140	175	125	220
Maximum authorised weight	kg	1500	1500	1500	1500	1500	1600
Max. weight upgrade	kg	1700	1800	1800	1800	1800	1800
Chassis single axle (1), tandem axle (2)		1	1	1	1	1	1
Heating		S 3004	S 3004	Combi 4	Combi 4	S 3004	S 3004
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15
Tank volume fresh water/ waste water	l	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³

¹ Only in combination with option "bed converts single beds to double bed"

² The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

³ The volume in brackets describes the reduced fresh water tank volume

Packages

90 Years Package Single Axle (Code 11584)

Package components


17" alloy wheels	✓
Front moulding with high attachment and roof rails	✓
Corner steadies	✓
Solid rubber support wheel with support load indicator	✓

90 Years Package Tandem Axle (Code 11584)

Package components

17" alloy wheels	✓
Front moulding with high attachment and roof rails	✓
Corner steadies	✓
Solid rubber support wheel with support load indicator	✓

Nomad Technical Info



NOMAD		530 DR	560 FMK	560 RET	590 RF	650 RQT	730 FKR
Width	cm	230	250	250	250	250	250
Length conversion/ total	cm	650 / 788	675 / 818	675 / 818	675 / 818	735 / 872	805 / 942
Total height/ awning size	cm	265 / 1045	265 / 1075	265 / 1075	265 / 1075	265 / 1135	265 / 1205
Bed front	cm	205x150	200x155	230x150	230x175	230x155	200x155
Bed lengthwise	cm	-	230x115	-	-	-	2x (195x75)
Bed alternative	cm	-	-	200x210 ¹	-	-	200x75
Bed rear	cm	210x135	2x (195x75)	200x80 / 200x85	210x155	200x155	230x155
Sleeping berths		4 ²	6 ²	4 ²	4 ²	4 ²	8 ²
Mass in running order (MIRO)	kg	1395	1550	1545	1555	1735	1855
Payload	kg	205	150	155	145	265	345
Maximum authorised weight	kg	1600	1700	1700	1700	2000	2200
Max. weight upgrade	kg	2000	2000	2000	2000	2500	2800
Chassis single axle (1), tandem axle (2)		1	1	1	1	2	2
Heating		S 5004	S 5004	S 5004	S 5004	S 5004	S 5004
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	96 / 11
Tank volume fresh water/ waste water	l	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³

¹ Only in combination with option "bed converts single beds to double bed"

² The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

³ The volume in brackets describes the reduced fresh water tank volume

Packages

Caravan Safety Package (Code 8950)

ca. 7 kg

Package components


ATC trailer control	✓
DuoControl gas controller with crash sensor and EisEx	✓
Smoke detector	✓

Shower Package (Code 6105)

ca. 7 kg

Package components

Shower equipment with fitting and curtain	✓
City water connection	✓



740 RFK	760 DR	760 ER
250	250	250
805 / 942	805 / 942	805 / 942
265 / 1205	265 / 1208	265 / 1208
230x140	200x150	2x 195x92
200x145	-	-
-	-	195x230
2x (195x75)	230x180	230x180
7 ²	4 ²	4 ²
1895	1865	1905
305	335	295
2200	2200	2200
2800	2800	2800
2	2	2
S 5004	S 5004	S 5004
175 / 31	175 / 31	175 / 31
38 (15) / 22 ³	38 (15) / 22 ³	38 (15) / 22 ³

Options

	Additional weight (kg)	Code	460 EL	470 FR	490 BLF	490 EST	510 ER	510 LE	530 DR	560 FMK	560 RET	590 RF	650 RQT	730 FKR	740 RPK	760 DR	760 ER
Chassis/Base																	
ATC trailer control	4	748	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Draw bar cover	8	434	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Corner steadies	1	6348	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade to 1600kg	24	322	○	○	○	○	○	●	●	-	-	-	-	-	-	-	-
Weight upgrade to 1700kg	24	278	○	○	○	○	○	○	○	●	●	●	-	-	-	-	-
Weight upgrade to 1800kg	24	279	-	○	○	○	○	○	○	○	○	○	-	-	-	-	-
Weight upgrade to 1900kg (incl. alloy wheel 225/70R15C)	27	394	-	-	-	-	-	-	○	○	○	○	-	-	-	-	-
Weight upgrade to 2000kg (single axle incl. alloy wheel 225/70R15C)	27	138	-	-	-	-	-	-	○	○	○	○	●	-	-	-	-
Weight upgrade to 2200kg	18	6351	-	-	-	-	-	-	-	-	-	-	○	●	●	●	●
Weight upgrade to 2500kg	18	496	-	-	-	-	-	-	-	-	-	-	○	○	○	○	○
Weight upgrade to 2800kg	18	7713	-	-	-	-	-	-	-	-	-	-	-	○	○	○	○
Alloy wheel 185 R14 C LI 102, up to 1600 kg	u.r.	836	○	○	○	○	○	○	○	-	-	-	-	-	-	-	-
Alloy wheel set 195 R14 C LI 106, 1700kg and 1800kg	2	838	○	○	○	○	○	○	○	○	○	○	-	-	-	-	-
Alloy wheels 225/70 R15C LI 112, 1900kg and 2000kg	9	1093	-	-	-	-	-	-	○	○	○	○	-	-	-	-	-
Alloy wheel 185/70 R14 LI 88, up to 2000kg	u.r.	840	-	-	-	-	-	-	-	-	-	-	○	-	-	-	-
Alloy wheel 195/70R14 C LI 104, 2200kg to 2800kg	4	859	-	-	-	-	-	-	-	-	-	-	○	○	○	○	○
Single-axle premium wheel set 195 R14 C LI 106 (with steel wheel 1700kg and 1800kg)	3	832	○	○	○	○	○	○	○	●	●	●	-	-	-	-	-
Spare alloy wheel 225/70/R15C LI 112, 1900kg and 2000kg	23,5	1092	-	-	-	-	-	-	-	○	-	○	-	-	-	-	-
Spare alloy wheel 195 R14 8PR LI 106, 1700kg and 1800kg	19	839	○	○	-	○	-	○	○	○	-	○	-	-	-	-	-
Spare alloy wheel 185 R14 C LI 102, up to 1600kg	17	837	○	○	-	○	-	○	○	-	-	-	-	-	-	-	-
Spare alloy wheel set 185/70/R14 LI 88, up to 2000kg	18	841	-	-	-	-	-	-	-	-	-	-	○	-	-	-	-
Spare alloy wheel set 195/70R14 C LI 104, 2200kg to 2800kg	19	861	-	-	-	-	-	-	-	-	-	-	○	○	○	○	○
Spare steel wheel 185 R14 C 8 PR, up to 1600kg	18	831	○	○	-	○	-	○	○	-	-	-	-	-	-	-	-
Spare steel wheel 195 R14 C LI 106, 1700kg and 1800kg	19,5	833	○	○	-	○	-	○	○	○	-	○	-	-	-	-	-
Spare steel wheel set 185/70/R14 LI 88, up to 2000kg	18	835	-	-	-	-	-	-	-	-	-	-	○	-	-	-	-
Spare steel wheel set 195/70R14 C LI 104, 2200kg to 2800kg	20	860	-	-	-	-	-	-	-	-	-	-	○	○	○	○	○
Tandem-axle premium wheel 195/70R14 C-LI104 (with steel wheel 2200 kg to 2800 kg)	6	858	-	-	-	-	-	-	-	-	-	-	○	●	●	●	●
Break-down kit	1	620	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Solid rubber support wheel with support load indicator	2	10063	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bodywork exterior																	
Front window	4	982	○	-	-	○	○	●	○	-	●	●	●	-	●	○	○
Rear window	4	1108	●	-	○	-	-	○	●	-	-	○	-	●	●	●	●
Front window (bed area), if washroom in front	5	855	-	○	-	-	-	-	○	-	-	-	-	○	-	-	-
Flush fitting windows (not possible for front and rear windows)	3	7561	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Heki II - skylight incl. illuminated roof lining (instead of standard Midi Heki in Camper and Nomad)	8	274	○	○	-	○	○	○	○	○	○	○	○	○	○	○	○
Skyroof with two skylights (not in comb. with A/C)	28	7466	-	○	-	-	-	-	-	○	○	○	○	○	-	○	○
Smooth sides white	1 kg/m ²	443	○	○	-	-	-	-	-	-	-	-	-	-	-	-	-
Smooth sides white	1 kg/m ²	443	-	-	○	○	○	○	○	○	○	○	○	○	○	○	○
Smooth sides titansilver metallic	1 kg/m ²	659	○	○	-	-	-	-	-	-	-	-	-	-	-	-	-
Smooth sides titansilver metallic	1 kg/m ²	659	-	-	○	○	○	○	○	○	○	○	○	○	○	○	○
Front moulding with high attachment and roof rails	12	624	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Styrofoam insulation (front, rear, sides)	0,5 kg/m ²	179	-	-	○	○	○	○	○	○	○	○	○	○	○	○	○
Styrofoam insulation (front, rear, sides)	0,5 kg/m ²	179	○	○	-	-	-	-	-	-	-	-	-	-	-	-	-
Access locker door 648mm x 348mm (front left)	2	1071	-	○	-	-	○	-	○	-	-	-	-	-	-	○	-
Access locker door 1069mm x 299mm (rear right)	2	1086	-	-	-	-	○	-	○	-	-	-	-	○	○	●	○
Access locker door 997mm x 419mm (rear right)	2,2	1082	-	-	-	-	-	●	-	-	○	●	●	-	-	-	-
Access locker door 749mm x 297mm (front right)	2	1076	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-
Access locker door 1550mm x 1050mm with window	8	9486	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-
Access locker door 997mm x 419mm (front left)	2,2	1079	-	●	-	-	○	-	-	●	-	-	-	●	-	-	○
Access locker door 749mm x 297mm (rear left)	2	1077	○	○	-	-	-	-	-	-	-	-	-	-	-	-	-
Access locker door 1069mm x 299mm (rear left)	2	1085	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
Access locker door 749mm x 297mm (rear right)	2	1078	○	○	-	-	-	-	-	-	-	-	-	-	-	-	-
Access locker door 1069mm x 299mm (front right)	2	1084	-	-	-	-	-	-	-	○	○	○	-	●	-	-	-
Access locker doors 648mm x 348mm (front right)	2	1072	-	-	-	-	-	-	●	-	-	-	-	-	-	○	-

[illegible]

Beduin Scandinavia

Design, comfort and freedom with the Beduin Scandinavia

Already since 1956 the Beduin has been on the way all around the globe. Reliable and comfortable it brings campers with a penchant for the special to their desired destination. Loft-like room concepts with unusual cuts and natural materials provide for Scandinavian flair with a touch of luxury. The new flagship of Dethleffs now makes caravanning possible 365 days a year. The powerful hot water heating and the electric floor heating on board guarantee cosy warmth even in sub-zero temperatures.

Upholstery



+ Amposta



+ Badalona



+ Tarragona

Wood décor



+ Amberes Oak

Technical info

Maximum authorised weight*	1.800 – 2.200 kg
Length (incl. draw bar)	768 – 942 cm
Width	250 cm
Height	265 cm
Tandem axle	ab 650 RE
Sleeping berths	3 – 7

*Maximum value depends on layout and weight upgrade

Beduin Scandinavia plus factors

- + Upscale standard equipment: with hot water heating as standard, electr. floor heating, side walls in smooth white sheet metal and a wide range of other options
- + Gourmet holidays made easy: high-quality kitchen equipment with oven/cooker combination and a lot of space for the preparation
- + Inviting ambience: indirect lighting and illuminated kitchen back wall provide for special atmosphere
- + Unsurpassed comfort: high-quality padding and cleverly sewn fabrics invite you to linger
- + Step in: comfortable entry thanks to extra wide entrance door with window
- + Watch out winter campers: be equipped also for colder temperatures with the optional Winter Comfort Package Premium



Standard specification

Chassis

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- High-quality tires, engineered for a speed of 100 km/h
- AKS stabiliser
- Octagon shock absorber
- AAA self-adjusting brake
- Light-weight zinc-plated corner steadies
- Sidewall skirts with integrated side-marker lamps
- Draw bar cover

Conversion

- Front, rear and side walls smooth sides white
- Robust GRP roof
- Floor thickness: 42mm, sides/roof: 34mm
- Extra wide habitation door with window and fly screen door, one piece
- Front parts in gas locker area made of LFI (Long Fiber Injection), shock resistant, robust and repair-friendly
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Clear-view skylight with blind and flyscreen
- Midi-Heki clear view skylight with blackout blind and mosquito protection blind and integrated light, operation with crank handle
- Panoramic window (from 670)
- Manoeuvring handles in chrome
- Well-designed front and integral lamps in rear moulding with mid-level attachment
- Fully-insulated wheel houses
- Access locker door

On-board equipment

- Gas bottle locker for 2 x 11 kg bottles
- Space-saving gas locker door which opens upwards
- Floor of the gas bottle locker made of rot resistant and robust aluminium
- 12 V power supply all over the vehicle
- Electrical water supply
- Electrical floor heating

- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Gas control for gas hose
- Comfortable warm water heating
- Operation of heating elements via iNet-box and smartphone app
- Pre-wiring for the connection of heating and air-conditioning
- Rollable waste water tank in gas locker
- Spare wheel bracket in gas bottle locker
- Awning light
- LED light bar system 12V (head side bed and seating lounge)
- Variable USB power socket for light bar system
- Indirect lighting
- Spare wheel (only for 590 RK)
- Breakdown kit (not for 590 RK)
- Pre-wiring for air-conditioning
- Flatscreen TV preparation (antenna wires and TV bracket)

Kitchen

- Large fridge with 142 l with 15 l freezer (variances see technical data)
- High-quality 3-flames hob with electrical ignition and integrated oven
- Spacious drawers with softclose function
- Practical apothecary-style drawer (depending on layout)
- Illuminated kitchen rear panel
- Indirect illuminated kitchen worktop

Bathroom

- Skylight with flyscreen
- Shower tray
- LED lights
- Space-saving fold-away washbasin for easy storage in the locker (only for 540 QMK)
- Integrated design washbasin made of solid surface material


Living comfort

- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic 7-zone cold foam mattress for all fixed beds and bunk beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Single beds convert to double beds (only for 650 RE)
- Seating lounge converts to bed
- High-quality upholstery and fabrics in the seating lounge
- One-legged telescopic table, height adjustable
- Headrests in the main seating lounge

Interior

- Wood décor Amberes Oak with upholsteries Amposta, Badalona or Tarragona

Beduin Scandinavia Technical Info



BEDUIN SCANDINAVIA		540 QMK	590 RK	650 RE	650 RFK	670 BET	690 BQT	740 BFK
Width	cm	250	250	250	250	250	250	250
Length conversion/ total	cm	650 / 768	675 / 818	735 / 872	735 / 872	735 / 872	765 / 901	805 / 942
Total height/ awning size	cm	265 / 1048	265 / 1078	265 / 1133	265 / 1133	265 / 1133	265 / 1163	265 / 1208
Bed front	cm	195x135	230x180/130	230x210/135	230x135	-	-	-
Bed lengthwise	cm	230x115	-	-	200x140	220x110	230x115	215x115
Bed alternative	cm	-	-	195x230	-	200x235	-	-
Bed rear	cm	190x75 / 190x70	200x135/105	218x95 / 198x95	2x (185x75)	2x 200x85	200x185/155	200x140
Sleeping berths		5 ¹	6 ¹	4 ¹	7 ¹	3 ¹	4 ¹	5 ¹
Mass in running order (MIRO)	kg	0	0	1850	0	0	0	0
Payload	kg	1800	1900	650	2500	2200	2200	2500
Maximum authorised weight	kg	1800	1900	2500	2500	2200	2200	2500
Max. weight upgrade	kg	2000	2000	2500	2500	2500	2500	2800
Chassis single axle (1), tandem axle (2)		1	1	2	2	2	2	2
Heating		Warmwasser	Warmwasser	Warmwasser	Warmwasser	Warmwasser	Warmwasser	Warmwasser
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	175 / 31	175 / 31	175 / 31
Tank volume fresh water/ waste water	l	38 (15) / 22 ²	38 (15) / 22 ²	38 (15) / 22 ²	38 (15) / 22 ²	38 (15) / 22 ²	38 (15) / 22 ²	38 (15) / 22 ²

¹ The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

² The volume in brackets describes the reduced fresh water tank volume

Packages

90 Years Package Single Axle (Code 11584)

Package components

17" alloy wheels	✓
Front moulding with high attachment and roof rails	✓
Corner steadies	✓
Solid rubber support wheel with support load indicator	✓

90 Years Package Tandem Axle (Code 11584)

Package components

17" alloy wheels	✓
Front moulding with high attachment and roof rails	✓
Corner steadies	✓
Solid rubber support wheel with support load indicator	✓

Packages

Caravan Safety
Package (Code
8950)

ca. 7 kg

Package components	
ATC trailer control	✓
DuoControl gas controller with crash sensor and EisEx	✓
Smoke detector	✓

✓ included ● Standard specification – not included

Shower Package
(Code 6105)

ca. 7 kg

Package components	
Shower equipment with fitting and curtain	✓
City water connection	✓

Options

	Additional weight (kg)	Code	540 QMK	590 RK	650 RE	650 RFK	670 BET	690 BQT	740 BFK
Chassis/Base									
ATC trailer control	4	748	○	○	○	○	○	○	○
Corner steadies	1	6348	○	○	○	○	○	○	○
Weight upgrade to 1900kg (incl. alloy wheel 225/70R15C)	27	394	○	⊙	–	–	–	–	–
Weight upgrade to 2000kg (single axle incl. alloy wheel 225/70R15C)	27	138	○	○	–	–	–	–	–
Weight upgrade to 2500kg	18	496	–	–	⊙	⊙	○	○	⊙
Weight upgrade to 2800kg	18	7713	–	–	–	–	–	–	○
Alloy wheel set 195 R14 C LI 106, 1700kg and 1800kg	2	838	○	–	–	–	–	–	–
Alloy wheels 225/70 R15C LI 112, 1900kg and 2000kg	9	1093	○	⊙	–	–	–	–	–
Alloy wheel 195/70R14 C LI 104, 2200kg to 2800kg	4	859	–	–	○	○	○	○	○
Break-down kit	1	620	⊙	○	⊙	⊙	⊙	⊙	⊙
Solid rubber support wheel with support load indicator	2	10063	○	○	○	○	○	○	○
Bodywork exterior									
Front window	4	982	○	⊙	⊙	⊙	⊙	⊙	⊙
Rear window	4	1108	–	○	○	–	–	–	–
Flush fitting windows (not possible for front and rear windows)	3	7561	○	○	○	○	○	○	○
Smooth sides titansilver metallic	1 kg/m ²	659	○	○	○	○	○	○	○
Front moulding with high attachment and roof rails	12	624	○	○	○	○	○	○	○
Styrofoam insulation (front, rear, sides)	0,5 kg/m ²	179	○	○	○	○	○	○	○
Access locker door 749mm x 297mm (front right)	2	1076	–	○	○	○	–	–	–
Access locker door front left side 1069x299 mm	u.r.	1083	–	–	○	○	–	–	–
Bodywork interior									
Smoke detector	0,5	8949	○	○	○	○	○	○	○
Fire extinguisher 2 kg	3,5	843	○	○	○	○	○	○	○
Furniture layouts									
Bed convert single beds to double bed	5	685	–	–	⊙	–	○	–	–
Bed frame with adjustable head section	1	871	–	–	○	–	○	–	–
3 bunk beds, not foldable	20	200	–	–	–	○	–	–	○
Kitchen									
Extractor fan	3	785	○	○	○	○	–	–	–
Kitchen worktop extension	1	1107	–	–	–	○	–	–	–
Upholstery									
7-zone WATERGEL mattress for double bed, made of heat-regulating material	4	8214	○	○	–	○	–	○	○
7-zone WATERGEL mattress for single bed left, made of heat-regulating material	2	8215	–	–	○	–	○	–	–
7-zone WATERGEL mattress for single bed right, made of heat-regulating material	2	8216	–	–	○	–	○	–	–
Carpets loose	8-10	513	○	○	○	○	○	○	○
Bedsread	u.r.	6530	○	○	○	○	○	○	○
Gas installation									
DuoControl gas controller with crash sensor and EisEx	2,5	784	○	○	○	○	○	○	○
Gas socket (exterior)	1	187	○	○	○	○	○	○	○
Water supply/Installation									
Shower equipment with fitting and curtain	5	1097	○	○	○	○	○	○	○
City water connection	2	414	○	○	○	○	○	○	○
Waste water pipes insulated and heated	5	520	○	○	○	○	○	○	○
Fresh water tank 70l	2,5	592	○	○	○	○	○	○	○
Exterior shower	2	396	○	○	○	○	○	○	○
Heating/Air-conditioning									
Roof A/C	35	8145	○	○	○	○	○	○	○
Warmwasser-Fußbodenheizung (nur i. Verb. mit SA 205)	10	674	○	○	○	○	○	○	○
Multimedia systems									
Audio connection multi-function exterior output, 12 V, 220 V, TV and SAT	1	611	○	○	○	○	○	○	○
Flatscreen TV 22" incl. DVD and receiver	3,5	1103	○	○	○	○	○	○	○
FS-SAT system Voyager 65 Digimatic	10	1049	○	○	○	○	○	○	○
SAT parabol antenna flat 65 Easy 65 Twin	14	879	○	○	○	○	○	○	○

	Additional weight (kg)	Code	540 QMK	590 RK	650 RE	650 RFK	670 BET	690 BQT	740 BFK
additional Packages (further information on the last pages of this brochure)									
Electric autonomy equipment	38	492	○	○	○	○	○	○	○
Mover Autonomy Package (single-axle)	78	5560	○	○	–	–	–	–	–
Mover Autonomy Package (tandem axle, 4WD)	100	5561	–	–	○	○	○	○	○
Scandinavia Package	81	11332	○	○	○	○	○	○	○
TV Package	5,5	9451	○	○	○	○	○	○	○
TV Package Plus	20	9452	○	○	○	○	○	○	○
Miscellaneous									
Registration documents	0	0	◆	◆	◆	◆	◆	◆	◆

Winter Comfort Packages

Winter Comfort Package Snow

Code 5459

Warm water heating
Electrical floor heating
XPS insulation: Front, rear, sidewalls, roof, floor
Waste water pipes insulated and heated

Winter Comfort Package Snow Plus

Code 5551

Warm water heating
Warm water floor heating
XPS insulation: Front, rear, sidewalls, roof, floor
Waste water pipes insulated and heated

Winter Comfort Package Combi 4

Code 10479

Combi 4 heating (gas, electro)
Digital control panel for Combi heating
Electrical floor heating
XPS insulation: Front, rear, sidewalls, roof, floor
Waste water pipes insulated and heated

Winter Comfort Package Combi 4

Code 10481

Electrical floor heating
XPS insulation: Front, rear, sidewalls, roof, floor
Waste water pipes insulated and heated

Winter Comfort Package Combi 6

Code 9536

Combi 6 heating (gas, electro)
Digital control panel for Combi heating
Electrical floor heating
XPS insulation: Front, rear, sidewalls, roof, floor
Waste water pipes insulated and heated

Winter Comfort Package Aero

Code 11547

Combi 6 heating (gas, electro)
Heating control via iNet-box
Digital control panel for Combi heating
Electrical floor heating
XPS insulation: Front, rear, sidewalls, roof, floor

Winter Comfort Package Premium

Code 11332

Warm water floor heating
XPS insulation: Front, rear, sidewalls, roof, floor
Waste water pipes insulated and heated
Flush fitting windows (not possible for front and rear windows)
Heated and insulated waste water tank 42 l
Autonomy equipment with battery

Autonomy Packages

Autonomy equipment c'joy/c'go

Code 7346

- Battery (95 Ah)
- Battery charger
- Central 12 V main switch
- Voltage display

Autonomy Package Aero (for S heating)

Code 10011

- Battery (95 Ah)
- Battery charger
- Central 12 V main switch
- Voltage display
- Circulation system with 12 V fan

Mover Autonomy Package single axle

Code 5560

Manoeuvring support Mover® XT for single axle caravans

Autarkic net 12 V incl.:

- Battery (95 Ah)
- Battery charger unit with booster
- Display panel for battery and fresh water level indicator
- 12 V socket in TV area*

Combi 4 Autonomy Package

Code 11031

70 l fresh water tank

Heating Combi 4 (gas, electro)

Digital control for Combi heating

Autarkic net 12 V incl.:

- Battery (95 Ah)
- Battery charger with booster
- Display panel for battery and fresh water level indicator
- 12 V socket in TV area*

Water & Electric Autonomy Package (for Combi heating)

Code 9943

70 l fresh water tank

Autarkic net 12 V incl.:

- Battery (95 Ah)
- Battery charger with booster
- Display panel for battery and fresh water level indicator
- 12 V socket in TV area*

*Note: Main lamps and reading lamps remain 12 V, sockets remain 230 V.

Electric Autonomy equipment

Code 492

- Battery (95 Ah)
- Battery charger with booster
- Display panel for battery and fresh water level indicator
- 12 V socket in TV area*

Autonomy Package Aero (for C heating)

Code 10012

- Battery (95 Ah)
- Battery charger
- Central 12 V main switch
- Voltage display

Mover Autonomy Package tandem axle

Code 5561

Manoeuvring support Mover® XT4 for tandem axle caravans

Autarkic net 12 V incl.:

- Battery (95 Ah)
- Battery charger unit with booster
- Display panel for battery and fresh water level indicator
- 12 V socket in TV area*

Combi 6 Autonomy Package

Code 11032

70 l fresh water tank

Heating Combi 6 (gas, electro)

Digital control for Combi heating

Autarkic net 12 V incl.:

- Battery (95 Ah)
- Battery charger with booster
- Display panel for battery and fresh water level indicator
- 12 V socket in TV area*

TV Packages

TV Package

Code 9451

- Flatscreen 22" incl. DVD and receiver
- Flatscreen pre-wiring

TV Package Plus

Code 9452

- Flatscreen 22" incl. DVD and receiver
- Flatscreen pre-wiring
- SAT system (Teleco Voyager Single LNB)
- Amplifier 4-channel incl. Bluetooth port
- Loudspeakers Upgrade Plus

You can find the exact allocation of the range and layout under Options and „Additional Packages“.

General information

Mass in running order according to VO (EU) 1230/2012 includes the unladen weight of the vehicle (tare weight of the vehicle) and the following basic equipment: filled water tank, a 100% filled steel gas cylinder with 11 kg filling and a cable drum.

The technically permissible maximum mass and the axle loads must not be exceeded by personal items, luggage and optional equipment.

The installation of optional equipment increases the tare weight of the vehicle and reduces the payload by the specified weight values. **If you order your vehicle with optional equipment, you should check whether it is advisable to upload the vehicle!**

This brochure only serves as preview information for the model year 2021 and is valid until July 31st, 2020.

Changes and errors are excepted. **Model ranges, technical data, packages and prices could change after the digital dealer convention.**

Missing data could not yet be determined on the day of printing! Data subject to correction!